STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION

SHEET NO. TOTAL (101VB) FAP 869 FRANKLIN 48 31 B-1

SHEET NO. 2 18 SHEETS

Contract No. 98821

GENERAL NOTES

Fasteners shall be AASHTO M164 Type 3. Bolts 78" \$\phi\$, holes 1516" \$\phi\$, unless otherwise noted.

Calculated weight of Structural Steel = 118,930 pounds

No field welding is permitted except as specified in the contract documents. Reinforcement bars shall conform to the requirements of ASTM A 706 Gr 60 (IL Modified). See Special Provisions

Reinforcement bars designated (E) shall be epoxy coated.

Bearing seat surfaces shall be constructed or adjusted to their designated elevations within a tolerance of 'g Inch (0.01 ft.). Adjustment shall be made either by grinding the surface or by shimming the bearings. Structural steel shall only be painted for a distance equal to the depth of

embedment into the concrete cap plus 3 inches. Those areas shall be primed in the shop with a Department approved zinc rich primer. No field painting shall be required. All structural steel shall be cleaned as specified in the Special Provision for "Surface Preparation and Painting Requirements for Weathering Steel".

The Contractor shall drive test piles to 110% of the nominal required bearing specified in production locations at substructures specified or approved by the Engineer before ordering the remainder of piles.


All structural steel shall be AASHTO M 270 Grade 50W.

The Contractor is advised that the existing PPC Deck beams are in a deteriorated condition with reduce load carrying capacity. It is the Contractor's responsibility to account for the condition of the beams when developing construction procedures for removal and replacement of the superstructure. Slipforming of the parapets is not allowed.

TOTAL BILL OF MATERIAL

ITEM	UNIT	SUPER	SUB	TOTAL
Porous Granular Embankment (Special)	Cu. Yd.		108	108
Stone Riprap, Class A3	Sq. Yd.		1150	1150
Filter Fabric	Sg. Yd.		1150	1150
Removal of Existing Structures	Each		1	1
Structure Excavation	Cu. Yd.		756	756
Concrete Structures	Cu. Yd.		295.4	295.4
Concrete Superstructure	Cu. Yd.	209.0		209.0
Rock Excavation for Structures	Cu. Yd.		52	52
Floor Drains	Each	8		8
Bridge Deck Grooving	Sq. Yd.	913		913
Protective Coat	Sq. Yd.	1094		1094
Furnishing and Erecting Structural Steel	L. Sum	1		1
Stud Shear Connectors	Each	1944		1944
Reinforcement Bars, Epoxy Coated	Pound	49890	36610	86500
Bar Splicers	Each	72		72
Protective Shield	Sg. Yd.	264		264
Furnishing Steel Piles HP10x42	Foot		230	230
Driving Piles	Foot		230	230
Test Pile Steel HP10x42	Each		2	2
Name Plates	Each	1		1
Anchor Bolfs, 1"	Each		24	24
Anchor Bolts, 1 ¹ 4"	Each		24	24
Geocomposite Wall Drain	Sq. Yd.		64	64
Pipe Underdrains for Structures 4''	Foot		<i>1</i> 55	155
Concrete Encasement	Cu. Yd.		4.2	4.2
Asbestos Bearing Pad Removal	Each		. 36	36

^{*} Includes approach pavements and connector pavements, see Roadway Plans.



Const. joint —	Backfill with uncompacted Porous Granular — Embankment (Special) by Bridge Contractor after superstructure is in place.
O WILLIAM OF THE STATE OF THE S	Approach Pavement Geocomposite Wall drain *Geotechnical Fabric for French Drains *Drainage Aggregate *4" \$ Perforated pipe drain Bk. of Abut.

SECTION THRU INTEGRAL ABUTMENT

*Included in the cost of Pipe Underdrains for Structure 4".

All drainage system components shall extend to 2'-0" from the end of each wingwall except an outlet pipe shall extend until intersecting with the side slopes. The pipes shall drain into concrete headwalls. (See Article 601.05 of the Standard Specifications and Highway Standard 601101).

}		
	Geocomposite Granular	ion for placing P Embankment (Sp for as Structure
Pi.	#Geotechnical Fabric for French D	rains
	2'-0" *4" \$ Perforated pipe drain	
۲	Bk. of Abut.	

DESTONED	Dewey H. Coultas
DESTONED	Dewey 11. Country
CHECKED	Ray Ahanchi
DRAWN	h.t. duong

CHECKED

DHC/GRA

GENERAL DATA F.A.P. RTE. 869 - SEC. (101VB)B-1 FRANKLIN COUNTY STATION 177+17.38 STRUCTURE NO. 028-0077